

BOBBY JINDAL
GOVERNOR



HAROLD LEGGETT, PH.D.
SECRETARY

State of Louisiana
DEPARTMENT OF ENVIRONMENTAL QUALITY
ENVIRONMENTAL SERVICES

Certified Mail No.

Activity No.: PER20080002
Agency Interest No. 25491

Mr. David Mason
District Manager
Reliable Landfill, LLC
PO Box 576
Livonia, LA 70755

RE: Part 70 Operating Permit Renewal
Reliable Production Service, Inc. - Reliable Landfill
Livonia, Pointe Coupee Parish, Louisiana

Dear Mr. Mason:

This is to inform you that the permit renewal/modification for the above referenced facility has been approved under LAC 33:III.501. The permit is both a state preconstruction and Part 70 Operating Permit. The submittal was approved on the basis of the emissions reported and the approval in no way guarantees the design scheme presented will be capable of controlling the emissions as to the types and quantities stated. A new application must be submitted if the reported emissions are exceeded after operations begin. The synopsis, data sheets and conditions are attached herewith.

It will be considered a violation of the permit if all proposed control measures and/or equipment are not installed and properly operated and maintained as specified in the application.

Operation of this facility is hereby authorized under the terms and conditions of this permit. This authorization shall expire at midnight on the _____ of _____, 2014, unless a timely and complete renewal application has been submitted six months prior to expiration. Terms and conditions of this permit shall remain in effect until such time as the permitting authority takes final action on the application for permit renewal. The permit number and agency interest number cited above should be referenced in future correspondence regarding this facility.

Please be advised that pursuant to provisions of the Environmental Quality Act and the Administrative Procedure Act, the Department may initiate review of a permit during its term. However, before it takes any action to modify, suspend or revoke a permit, the Department shall, in accordance with applicable statutes and regulations, notify the permittee by mail of the facts or operational conduct that warrant the intended action and provide the permittee with the opportunity to demonstrate compliance with all lawful requirements for the retention of the effective permit.

Done this _____ day of _____, 2009.

Permit No.: 2260-00075-V1

Sincerely,

Cheryl Sonnier Nolan
Assistant Secretary
CSN:sfp
c: EPA Region VI

**AIR PERMIT BRIEFING SHEET
AIR PERMITS DIVISION
LOUISIANA DEPARTMENT OF ENVIRONMENTAL QUALITY**

**Reliable Landfill, LLC
Agency Interest No.: 25491
Livonia, Pointe Coupee Parish, Louisiana**

I. Background

Reliable Landfill, LLC, is an existing municipal solid waste landfill facility began operation in 1996. Reliable Landfill, LLC currently operates under Permit No. 2260-00075-V0, issued June 7, 2004.

This is the Part 70 operating permit renewal and modification for the facility.

II. Origin

A permit application and Emission Inventory Questionnaire were submitted by Reliable Landfill, LLC on December 4, 2008 requesting a Part 70 operating permit. Additional information dated September 25, 2009 was also received.

III. Description

Reliable Landfill is a municipal solid waste disposal facility. Reliable Landfill receives a variety of non-hazardous solid waste (mostly municipal trash) that is disposed of by landfilling. The landfill is supported by a variety of operations and maintenance-related activities, including operation and maintenance of mobile equipment and other non-mobile equipment powered by internal combustion engines, handling of leachate removed from the landfill prior to disposal, and storage of motor fuels and lubricants.

This permit renewal/modification incorporates the following changes:

- Creation of emissions caps for diesel and gasoline driven engine for operational flexibility;
- Updating of emission rates due to changes in emission factors;
- Updating of inventory information as necessary;
- Updating of waste projections for the term of the permit; and,
- Revising of the list of small engines and other miscellaneous sources.

Estimated emissions in tons per year are as follows:

<u>Pollutant</u>	<u>Before</u>	<u>After</u>	<u>Change</u>
PM ₁₀	6.21	8.02	+1.81
SO ₂	2.05	2.55	+0.50
NO _x	30.43	38.88	+8.45

AIR PERMIT BRIEFING SHEET
AIR PERMITS DIVISION
LOUISIANA DEPARTMENT OF ENVIRONMENTAL QUALITY

Reliable Landfill, LLC
Agency Interest No.: 25491
Livonia, Pointe Coupee Parish, Louisiana

<u>Pollutant</u>	<u>Before</u>	<u>After</u>	<u>Change</u>
CO	22.85	11.31	-11.54
VOC	62.21	23.42	-38.79

LAC 33:III Chapter 51 Toxic Air Pollutants (TAPs):

Pollutant	Before	After	Change
1,1,1-Trichloroethane	0.03	0.04	+0.01
1,1,2,2-Tetrachloroethane	0.08	0.11	+0.03
1,1-Dichloroethane	0.10	-	-0.10
1,2-Dichloroethane	0.02	0.024	+0.004
1,2-Dichloropropane	0.01	0.01	0
1,3-Butadiene	-	0.006	+0.006
Acetaldehyde	-	0.01	+0.01
Acrolein	-	0.001	+0.001
Acrylonitrile	0.14	0.201	+0.061
Benzene	0.35	0.53	+0.18
Carbon disulfide	0.02	0.03	+0.01
Carbon Tetrachloride	<0.01	-	-0.01
Carbonyl sulfide	0.01	0.02	+0.01
Chlorobenzene	0.01	0.017	+0.007
Chloroethane	0.03	0.05	+0.02
Chloroform	<0.01	0.01	0
Dichlorobenzene	0.01	-	-0.01
Dichloromethane	0.49	0.73	+0.24
Ethyl benzene	0.20	0.29	+0.09
Formaldehyde	-	0.02	+0.02
Hydrogen sulfide	0.48	0.72	+0.24
Mercury	<0.01	-	-0.01
Methyl chloride	0.03	0.05	+0.02
Methyl ethyl ketone	0.21	0.32	+0.11
Methyl isobutyl ketone	0.08	0.11	+0.03
Tetrachloroethylene	0.25	0.37	+0.12

**AIR PERMIT BRIEFING SHEET
AIR PERMITS DIVISION
LOUISIANA DEPARTMENT OF ENVIRONMENTAL QUALITY**

**Reliable Landfill, LLC
Agency Interest No.: 25491
Livonia, Pointe Coupee Parish, Louisiana**

LAC 33:III Chapter 51 Toxic Air Pollutants (TAPs):

Pollutant	Before	After	Change
Toluene	6.06	9.09	+3.03
Total Reduced Sulfur	0.60	-	-0.60
Trans-1,2-Dichloroethylene	0.11	-	-0.11
Trichloroethylene	0.25	0.22	-0.03
Vinyl chloride	0.18	0.27	+0.09
Vinylidene chloride	0.01	0.01	0
Xylene (mixed isomers)	0.51	0.78	+0.27
n-Hexane	0.23	0.34	+0.11
Total	10.53	14.379	+3.849

IV. Type of Review

This permit was reviewed for compliance with 40 CFR 70, the Louisiana Air Quality Regulations, New Source Performance Standards (NSPS) and National Emission Standards for Hazardous Air Pollutants (NESHAP). Prevention of Significant Deterioration (PSD), does not apply.

This facility is a minor source of toxic air pollutants (TAPs) pursuant to LAC 33:III.Chapter 51.

V. Credible Evidence

Notwithstanding any other provisions of any applicable rule or regulation or requirement of this permit that state specific methods that may be used to assess compliance with applicable requirements, pursuant to 40 CFR Part 70 and EPA's Credible Evidence Rule, 62 Fed. Reg. 8314 (Feb. 24, 1997), any credible evidence or information relevant to whether a source would have been in compliance with applicable requirements if the appropriate performance or compliance test or procedure had been performed shall be considered for purposes of Title V compliance certifications. Furthermore, for purposes of establishing whether or not a person has violated or is in violation of any emissions limitation or standard or permit condition, nothing in this permit shall preclude the use, including the exclusive use, by any person of any such credible evidence or information.

VI. Public Notice

A notice requesting public comment on the permit was published in *The Advocate*, Baton Rouge, on <date>, 200X; and in the <local paper>, <local town>, on <date>, 200X. A copy

**AIR PERMIT BRIEFING SHEET
AIR PERMITS DIVISION
LOUISIANA DEPARTMENT OF ENVIRONMENTAL QUALITY**

**Reliable Landfill, LLC
Agency Interest No.: 25491
Livonia, Pointe Coupee Parish, Louisiana**

of the public notice was mailed to concerned citizens listed in the Office of Environmental Services Public Notice Mailing List on <date>. The draft permit was also submitted to US EPA Region VI on <date>. All comments will be considered prior to the final permit decision.

VII. Effects on Ambient Air

Emissions associated with the facility were reviewed by the Air Quality Assessment Division to ensure compliance with the NAAQS and AAS. LDEQ did not require the applicant to model emissions.

VIII. General Condition XVII Activities

Work Activity	Schedule	Emission Rates - tons				
		PM ₁₀	SO ₂	NO _x	CO	VOC
None						

IX. Insignificant Activities

ID No.:	Description	Citation
T-1	Diesel Storage Tank (8000 gal)	LAC 33:III.501.B.5.A.3.
T-3	Diesel Storage Tank (700 gal)	LAC 33:III.501.B.5.A.3
T-4	Diesel Storage Tank (200 gal)	LAC 33:III.501.B.5.A.3
T-5	Diesel Storage Tank (200 gal)	LAC 33:III.501.B.5.A.3
T-6	Diesel Storage Tank (200 gal)	LAC 33:III.501.B.5.A.3

LOUISIANA DEPARTMENT OF ENVIRONMENTAL QUALITY

Reliable Landfill, LLC
 Agency Interest No.: 25491
Livonia, Pointe Coupee Parish, Louisiana

X. Table 1. Applicable Louisiana and Federal Air Quality Requirements

ID No.	Description	LAC 33:III.Chapter																		
		2	5▲	9	11	13	15	2103	2104*	2107	2111	2113	2115	2116*	22	29*	51*	53*	56	59*
JNF1	Reliable Landfill	1	1	1	1												1	1	1	3
ARE 4	R1 - Landfill Gas Emissions																			
FUG 2	R2 - Leachate Handling and Storage																			
FUG 3	R3 - Fugitive Dust Emissions																			
FUG 4	R5 - Solidification Basin																			
GRP 02	R4 -Gas Internal Combustion Engines	1		1	1	3											2			
GRP 03	R4 - Diesel Internal Combustion Engines	1		1	1	3											2			

* The regulations indicated above are State Only regulations.

▲ All LAC 33:III Chapter 5 citations are federally enforceable including LAC 33:III.501.C.6 citations, except when the requirement found in the "Specific Requirements" report specifically states that the regulation is State Only.

LOUISIANA DEPARTMENT OF ENVIRONMENTAL QUALITY

Reliable Landfill, LLC
Agency Interest No.: 25491
Livonia, Pointe Coupee Parish, Louisiana

KEY TO MATRIX

- 1 -The regulations have applicable requirements that apply to this particular emission source.
-The emission source may have an exemption from control stated in the regulation. The emission source may not have to be controlled but may have monitoring, recordkeeping, or reporting requirements.
- 2 -The regulations have applicable requirements that apply to this particular emission source but the source is currently exempt from these requirements due to meeting a specific criterion, such as it has not been constructed, modified or reconstructed since the regulations have been in place. If the specific criteria changes the source will have to comply at a future date.
- 3 -The regulations apply to this general type of emission source (i.e. vents, furnaces, towers, and fugitives) but do not apply to this particular emission source.
Blank – The regulations clearly do not apply to this type of emission source.

LOUISIANA DEPARTMENT OF ENVIRONMENTAL QUALITY

Reliable Landfill, LLC
Agency Interest No.: 25491
Livonia, Pointe Coupee Parish, Louisiana

X. Table 1. Applicable Louisiana and Federal Air Quality Requirements

ID No.:	Description	40 CFR 60 NSPS					40 CFR 61			40 CFR 63 NESHPAP			40 CFR				
		A	K	Ka	Kb	WWW	III	JJJ	A	J	M	A	HH	SS	AAAA	64	68
UNFI	Reliable Landfill	1							1	1	1					3	1
ARE 4	R1 - Landfill Gas Emissions	1					1										
FUG 2	R2 - Leachate Handling and Storage											2		2			
FUG 3	R3 - Fugitive Dust Emissions																
FUG 4	R5 - Solidification Basin																
GRP 02	R4 - Gas Internal Combustion Engines							3									
GRP 03	R4 - Diesel Internal Combustion Engines						3										

LOUISIANA DEPARTMENT OF ENVIRONMENTAL QUALITY

Reliable Landfill, LLC
Agency Interest No.: 25491
Livonia, Pointe Coupee Parish, Louisiana

KEY TO MATRIX

- 1 - The regulations have applicable requirements that apply to this particular emission source.
-The emission source may have an exemption from control stated in the regulation. The emission source may not have to be controlled but may have monitoring, recordkeeping, or reporting requirements.
 - 2 -The regulations have applicable requirements that apply to this particular emission source but the source is currently exempt from these requirements due to meeting a specific criterion, such as it has not been constructed, modified or reconstructed since the regulations have been in place. If the specific criteria changes the source will have to comply at a future date.
 - 3 -The regulations apply to this general type of emission source (i.e. vents, furnaces, towers, and fugitives) but do not apply to this particular emission source.
- Blank – The regulations clearly do not apply to this type of emission source.

LOUISIANA DEPARTMENT OF ENVIRONMENTAL QUALITY

Reliable Landfill, LLC
Agency Interest No.: 25491
Livonia, Pointe Coupee Parish, Louisiana

XI. Table 2. Explanation for Exemption Status or Non-Applicability of a Source

ID No:	Requirement	Notes
	40 CFR 63 Subpart AAAA - National Emission Standards for Hazardous Air Pollutants: Municipal Solid Waste Landfills	DOES NOT APPLY. The facility has estimated uncontrolled emissions less than 50 megagrams per year (Mg/yr) NMOC.
	40 CFR 68 – Chemical Accident Prevention Provision	DOES NOT APPLY. The facility does not have more than the threshold quantity of a regulated substance in a process, as determined under 40 CFR 68.115.
UNF01 – Reliable Landfill, LLC	Comprehensive Toxic Air Pollutant Emission Control Program [LAC 33:III. Chapter 51]	EXEMPT. Facility is not a major source of TAPs emitting less than 10 tons per year of any toxic air pollutant listed in LAC 33:III.5112, Table 51.1 or 25 tons per year or more of any combination of toxic air pollutants listed in LAC 33:III.5112, Table 51.1.
	Chemical Accident Prevention and Minimization of Consequences [LAC 33:III.5901]	DOES NOT APPLY. The facility does not process more than the threshold quantity of a regulated pollutant.
ARE01 – Landfill Gas Emissions	40 CFR 63 Subpart AAAA - National Emission Standards for Hazardous Air Pollutants: Municipal Solid Waste Landfills	DOES NOT APPLY. The facility has estimated uncontrolled emissions less than 50 megagrams per year (Mg/yr) NMOC.
GRP02 - M-3 Gas –IC Engines – Gas	Emission Standards for Sulfur Dioxide [LAC 33:III.Chapter 15]	DOES NOT APPLY. The single point sources emit less than 5 tons per year of sulfur dioxide into the atmosphere.
GRP03 - M-3 Diesel –IC Engines- Diesel		
GRP02 - M-3 Gas –IC Engines – Gas	Standards of Performance for Stationary Spark Ignition Internal Combustion Engines [40 CFR 60 Subpart JJJJ]	DOES NOT APPLY. Engines are Non-road Engines per 40 CFR 1068.30. These engines will not remain at a single site at a building structure, facility or installation for more than 12 consecutive months. Any engine (or engines) that replaces an engine at a location and that is intended to perform that or a similar function as the engine replaced will be included in calculating the consecutive time period.
	Control of Emissions of Nitrogen Oxides [LAC 33:III.Chapter 22]	EXEMPT. All engines are less than 150 Hp.

LOUISIANA DEPARTMENT OF ENVIRONMENTAL QUALITY

Reliable Landfill, LLC
Agency Interest No.: 25491
Livonia, Pointe Coupee Parish, Louisiana

GRP03 - M-3 Diesel -IC Engines- Diesel	Standards of Performance for Stationary Compression Ignition Internal Combustion Engines [40 CFR 60 Subpart IIII] Control of Emissions of Nitrogen Oxides [LAC 33:III.Chapter 22]	DOES NOT APPLY. Engines are Non-road Engines per 40 CFR 1068.30. These engines will not remain at a single site at a building, structure, facility or installation for more than 12 consecutive months. Any engine (or engines) that replaces an engine at a location and that is intended to perform that or a similar function as the engine replaced will be included in calculating the consecutive time period. EXEMPT. All engines are less than 150 Hp.
--	--	---

The above table provides explanation for both the exemption status or non-applicability of a source cited by 1, 2 or 3 in the matrix presented in Section X (Table 1) of this permit.

General Information

AI ID: 25491 Reliable Production Service Inc - Reliable Landfill
Activity Number: PER20080002
Permit Number: 2260-00075-V1
Air - Title V Regular Permit Renewal

Also Known As:	ID	Name	User Group	Start Date
RAL-010	2260-00075	Recognized Asbestos Landfill	Asbestos	12-12-2006
79	36-4119910	CDS Number	CDS Number	02-02-2004
LA0000917906	LA0063341	Hurricane Katrina Response Related Facility	Emergency Debris Site	12-06-2005
LA0111198	LA0111198	Federal Tax ID	Federal Tax ID	11-21-1999
LAR05M427	LAR05M427	Reliable Landfill Western Waste Ind	Hazardous Waste Notification	03-02-1994
WP0321	WP3534	LPDES #	LPDES Permit #	05-22-2003
TD-077-1314	TD-077-1314	LPDES #	LPDES Permit #	05-22-2003
19302	19302	LPDES #	LPDES Permit #	05-22-2003
43742	43742	LWDPS #	LWDPS Permit #	06-25-2003
43943	43943	Solid Waste Facility	Solid Waste Facility No.	06-25-2003
11494	11494	Reliable Production Service Inc - Reliable Landfill	TEMPO Merge	04-19-1996
RG-077-11494	RG-077-11494	USA Waste Service Inc - Reliable Landfill	TEMPO Merge	03-07-2001
		Western Waste Ind	TEMPO Merge	03-19-2003
		Waste Tires/ Qualified Recycler	Waste Tire Facility ID Number	11-06-2001
		Facility #	Waste Tires	05-27-2005
				11-21-1999
Physical Location:		Hwy 190 Livonia, LA 70755	Main FAX: 2256674346 Main Phone: 2256676160	
Mailing Address:		PO Box 576 Livonia, LA 707550576		
Location of Front Gate:		30.5417 latitude, -90.087758 longitude, Coordinate Method: Lat.Long. - DMS, Coordinate Datum: NAD83		
Related People:	Name	Mailing Address	Phone (Type)	Relationship
Johnna Cortez	PO Box 576 Livonia, LA 707550576	dmason@wm.com (I)	Water Billing Party for	
David Mason	PO Box 99 Walker, LA 707850099	2256676112 (VP)	Responsible Official for	
David Mason	PO Box 99 Walker, LA 707850099	2252682895 (VNP)	Responsible Official for	
Amanda Olson	PO Box 576 Livonia, LA 707550576	AOLSON2@WM.CC	Emission Inventory Contact for	
Amanda Olson	PO Box 576 Livonia, LA 707550576	2252682895 (VNP)	Emission Inventory Contact for	
Amanda Olson	PO Box 99 Walker, LA 707850099	AOLSON2@WM.CC	Waste Tires Contact for	
Amanda Olson	PO Box 99 Walker, LA 707850099		Waste Tires Contact for	
Related Organizations:	Name	Address	Phone (Type)	Relationship
Reliable Landfill LLC	1001 Fannin St Ste 4000 Houston, TX 77002	Agent of Service for		

General Information

AI ID: 25491 Reliable Production Service Inc - Reliable Landfill
Activity Number: PER20080002
Permit Number: 2260-00075-V1
Air - Title V Regular Permit Renewal

Related Organizations:	Name	Address	Phone (Type)	Relationship
VWaste Management of Louisiana LLC	PO Box 576 Livonia, LA 707550576	2256372385 (VWP)	Air Billing Party for	
VWaste Management of Louisiana LLC	PO Box 576 Livonia, LA 707550576	2256372385 (VWP)	Emission Inventory Billing Party	
VWaste Management of Louisiana LLC	PO Box 576 Livonia, LA 707550576	2256372385 (VWP)	Owns	
NAIC Codes:				
562212, Solid Waste Landfill				

Note: This report entitled "General Information" contains a summary of facility-level information contained in LDEQ's TEMPO database for this facility and is not considered a part of the permit.
Please review the information contained in this document for accuracy and completeness. If any changes are required or if you have questions regarding this document, you may contact Ms. Tommie Millam, Permit Support Services Division, at (225) 219-3259 or email your changes to facupdate@la.gov.

INVENTORIES

AI ID: 25491 - Reliable Production Service Inc - Reliable Landfill
 Activity Number: PER20080002
 Permit Number: 2260-00075-V1
 Air - Title V Regular Permit Renewal

Subject Item Inventory:

ID	Description	Tank Volume	Max. Operating Rate	Normal Operating Rate	Contents	Operating Time
Reliable Landfill - Entire Facility						
ARE 0004	R11 - Landfill Gas Emissions		104 horsepower	104 horsepower		8760 hr/yr
EQT 0001	R4a - 104 hp Diesel Pump #1		104 horsepower	104 horsepower		2860 hr/yr
EQT 0002	R4b - 104 hp Diesel Pump #2		115 horsepower	115 horsepower		2860 hr/yr
EQT 0003	R4c - 115 hp Diesel Tipper		35 horsepower	35 horsepower		2860 hr/yr
EQT 0004	R4d - 35 hp Diesel Pump		100 horsepower	100 horsepower		2860 hr/yr
EQT 0005	R4e - 100 hp Diesel Generator		30 horsepower	30 horsepower		2860 hr/yr
EQT 0006	R4f - 30 hp Diesel Light Plant #1		30 horsepower	30 horsepower		2860 hr/yr
EQT 0007	R4g - 30 hp Diesel Light Plant #2		18 horsepower	18 horsepower		2860 hr/yr
EQT 0008	R4h - 18 hp Gasoline Pressure Washer		11 horsepower	11 horsepower		3100 hr/yr
EQT 0009	R4i - 11 hp Gasoline Portable Generator		12 horsepower	12 horsepower		3100 hr/yr
EQT 0010	R4j - 12 hp Gasoline Portable Air Compressor		10 horsepower	10 horsepower		3100 hr/yr
EQT 0011	R4k - 10 hp Gasoline Portable Pump #1		10 horsepower	10 horsepower		3100 hr/yr
EQT 0012	R4l - 10 hp Gasoline Portable Pump #2		10 horsepower	10 horsepower		3100 hr/yr
EQT 0013	R4m - 10 hp Gasoline Portable Pump #3		10 horsepower	10 horsepower		3100 hr/yr
EQT 0014	R4n - 10 hp Gasoline Portable Pump #4		10 horsepower	10 horsepower		3100 hr/yr
EQT 0015	R4o - 10 hp Diesel Misc. Pump #1		10 horsepower	10 horsepower		2860 hr/yr
EQT 0016	R4p - 10 hp Diesel Misc. Pump #2		10 horsepower	10 horsepower		2860 hr/yr
EQT 0017	R4q - 10 hp Diesel Misc. Pump #3		10 horsepower	10 horsepower		2860 hr/yr
EQT 0018	R4r - 10 hp Diesel Misc. Pump #4		10 horsepower	10 horsepower		2860 hr/yr
EQT 0019	R4s - 104 hp Diesel Pump #3		104 horsepower	104 horsepower		2860 hr/yr
EQT 0020	R4t - 104 hp Diesel Pump #4		104 horsepower	104 horsepower		2860 hr/yr
EQT 0021	R4u - 40 hp Diesel Compressor		40 horsepower	40 horsepower		2860 hr/yr
EQT 0022	R4v - 40 hp Diesel Generator		40 horsepower	40 horsepower		2860 hr/yr
FUG 0002	R2 - Leachate Handling and Storage					8760 hr/yr
FUG 0003	R3 - Fugitive Dust Emissions					3744 hr/yr
FUG 0004	R5 - Solidification Basin					3744 hr/yr

Stack Information:

ID	Description	Velocity (ft/sec)	Flow Rate (cubic ft/min-actual)	Diameter (feet)	Discharge Area (square feet)	Height (feet)	Temperature (°F)
----	-------------	-------------------	---------------------------------	-----------------	------------------------------	---------------	------------------

Relationships:

Subject Item Groups:	ID	Group Type	Group Description
	GRP 0002	Equipment Group	R-4 Gas - Internal Combustion Engines-Gasoline
	GRP 0003	Equipment Group	R-4 Diesel - Internal Combustion Engines - Diesel
	UNF 0001	Unit or Facility Wide	UNF001 - Reliable Landfill - Entire Facility

INVENTORIES

AI ID: 25491 - Reliable Production Service Inc - Reliable Landfill
Activity Number: PER20080002
Permit Number: 2260-00075-V1
Air - Title V Regular Permit Renewal

Group Membership:

ID	Description	Member of Groups
EQT 0001	R4a - 104 hp Diesel Pump #1	GRP0000000003
EQT 0002	R4b - 104 hp Diesel Pump #2	GRP0000000003
EQT 0003	R4c - 115 hp Diesel Tipper	GRP0000000003
EQT 0004	R4d - 35 hp Diesel Pump	GRP0000000003
EQT 0005	R4e - 100 hp Diesel Generator	GRP0000000003
EQT 0006	R4f - 30 hp Diesel Light Plant #1	GRP0000000003
EQT 0007	R4g - 30 hp Diesel Light Plant #2	GRP0000000002
EQT 0008	R4h - 18 hp Gasoline Pressure Washer	GRP0000000002
EQT 0009	R4i - 11 hp Gasoline Portable Generator	GRP0000000002
EQT 0010	R4j - 12 hp Gasoline Portable Air Compressor	GRP0000000002
EQT 0011	R4k - 10 hp Gasoline Portable Pump #1	GRP0000000002
EQT 0012	R4l - 10 hp Gasoline Portable Pump #2	GRP0000000002
EQT 0013	R4m - 10 hp Gasoline Portable Pump #3	GRP0000000002
EQT 0014	R4n - 10 hp Gasoline Portable Pump #4	GRP0000000002
EQT 0015	R4o - 10 hp Diesel Misc. Pump #1	GRP0000000003
EQT 0016	R4p - 10 hp Diesel Misc. Pump #2	GRP0000000003
EQT 0017	R4q - 10 hp Diesel Misc. Pump #3	GRP0000000003
EQT 0018	R4r - 10 hp Diesel Misc. Pump #4	GRP0000000003
EQT 0019	R4s - 104 hp Diesel Pump #3	GRP0000000003
EQT 0020	R4t - 104 hp Diesel Pump #4	GRP0000000003
EQT 0021	R4u - 40 hp Diesel Compressor	GRP0000000003
EQT 0022	R4v - 40 hp Diesel Generator	GRP0000000003

NOTE: The UNF group relationship is not printed in this table. Every subject item is a member of the UNF group

Annual Maintenance Fee:

Fee Number	Air Contaminant Source 1525 Sanitary Landfill (Planned Capacity)	Multiplier 2.71	Units Of Measure MM Mg
4653	Refuse systems	AI 25491	
4653	Refuse systems	UNF 001	

SIC Codes:

4653	Refuse systems	AI 25491
4653	Refuse systems	UNF 001

EMISSION RATES FOR CRITERIA POLLUTANTS

AI ID: 25491 - Reliable Production Service Inc - Reliable Landfill

Activity Number: PER20080002

Permit Number: 2260-00075-V1

Air - Title V Regular Permit Renewal

Subject Item	CO			NOx			SO2			VOC		
	Avg lb/hr	Max lb/hr	Tons/Year									
Reliable Landfill - Entire Facility												
ARE_R1	0.54	0.54	2.36									
EQT_0001_R4a		0.69		3.22		0.23		0.21			0.26	
EQT_0002_R4b		0.69		3.22		0.23		0.21			0.26	
EQT_0003_R4c		0.77		3.57		0.25		0.24			0.28	
EQT_0004_R4d		0.23		1.09		0.08		0.07			0.09	
EQT_0005_R4e		0.67		3.10		0.22		0.21			0.25	
EQT_0006_R4f		0.20		0.93		0.07		0.06			0.07	
EQT_0007_R4g		0.20		0.93		0.07		0.06			0.07	
EQT_0008_R4h		0.13		0.20		0.01		0.01			0.39	
EQT_0009_R4i		0.08		0.12		0.01		0.01			0.24	
EQT_0010_R4j		0.08		0.13		0.01		0.01			0.26	
EQT_0011_R4k		0.07		0.11		0.01		0.01			0.22	
EQT_0012_R4l		0.07		0.11		0.01		0.01			0.22	
EQT_0013_R4m		0.07		0.11		0.01		0.01			0.22	
EQT_0014_R4n		0.07		0.11		0.01		0.01			0.22	
EQT_0015_R4o		0.07		0.31		0.02		0.02			0.02	
EQT_0016_R4p		0.07		0.31		0.02		0.02			0.02	
EQT_0017_R4q		0.07		0.31		0.02		0.02			0.02	
EQT_0018_R4r		0.07		0.31		0.02		0.02			0.02	
EQT_0019_R4s		0.69		3.22		0.23		0.21			0.26	
EQT_0020_R4t		0.69		3.22		0.23		0.21			0.26	
EQT_0021_R4u		0.27		1.24		0.09		0.08			0.10	
EQT_0022_R4v		0.27		1.24		0.09		0.08			0.10	

EMISSION RATES FOR CRITERIA POLLUTANTS

AI ID: 25491 - Reliable Production Service Inc - Reliable Landfill

Activity Number: PER2008002

Permit Number: 2260-00075-V1

Air - Title V Regular Permit Renewal

Subject Item	CO			NOx			PM10			SO2			VOC		
	Avg lb/hr	Max lb/hr	Tons/Year												
Reliable Landfill - Entire Facility															
FUG R2															
FUG R3							2.54	2.54	4.78					0.001	0.001
FUG R5							0.26	0.26	0.49						
GRP R4 Gas	0.56	0.87	0.89		1.38	0.06		0.09	0.05		0.07	1.75		2.71	
GRP R4 Diesel	5.65	8.08	26.23		37.50	1.86		2.66	1.73		2.48	2.13		3.04	

Note: Emission rates in bold are from alternate scenarios and are not included in permitted totals unless otherwise noted in a footnote.

EMISSION RATES FOR TAP/HAP & OTHER POLLUTANTS

AI ID: 25491 - Reliable Production Service Inc - Reliable Landfill

Activity Number: PER20080002

Permit Number: 2260-00075-V1

Air - Title V Regular Permit Renewal

Emission Pt.	Pollutant	Avg lb/hr	Max lb/hr	Tons/Year
ARE 0004 R1	1,1,1-Trichloroethane	0.01	0.01	0.04
	1,1,2,2-Tetrachloroethane	0.03	0.03	0.11
	1,2-Dichloroethane	0.006	0.006	0.024
	1,2-Dichloropropane	0.003	0.003	0.01
	Acrylonitrile	0.046	0.046	0.201
	Benzene	0.12	0.12	0.52
	Carbon disulfide	0.01	0.01	0.03
	Carbonyl sulfide	0.004	0.004	0.02
	Chlorobenzene	0.004	0.004	0.017
	Chloroethane	0.01	0.01	0.05
	Chloroform	0.001	0.001	<0.01
	Dichloromethane	0.17	0.17	0.73
	Ethyl benzene	0.07	0.07	0.29
	Hydrogen sulfide	0.17	0.17	0.72
	Methyl chloride	0.01	0.01	0.04
	Methyl ethyl ketone	0.07	0.07	0.31
	Methyl isobutyl ketone	0.03	0.03	0.11
	Tetrachloroethylene	0.08	0.08	0.37
EQT 0001 R4a	Toluene	2.08	2.08	9.09
	Trichloroethylene	0.05	0.05	0.22
	Vinyl chloride	0.06	0.06	0.27
	Vinyldene chloride	0.003	0.003	0.01
	Xylene (mixed isomers)	0.18	0.18	0.77
	n-Hexane	0.08	0.08	0.34
	1,3-Butadiene		<0.001	
	Acetaldehyde		0.001	
EQT 0002 R4b	Acrolein		<0.001	
	Benzene		0.001	
	Formaldehyde		0.001	
	Naphthalene		<0.001	
	Toluene		<0.001	
	Xylene (mixed isomers)		<0.001	
	1,3-Butadiene		<0.001	

EMISSION RATES FOR TAP/HAP & OTHER POLLUTANTS

AI ID: 25491 - Reliable Production Service Inc - Reliable Landfill

Activity Number: PER20080002

Permit Number: 2260-00075-V1

Air - Title V Regular Permit Renewal

Emission Pt.	Pollutant	Avg lb/hr	Max lb/hr	Tons/Year
EQT 0002 R4b	Acetaldehyde		0.001	
	Acrolein		<0.001	
	Benzene		0.001	
	Formaldehyde		0.001	
	Naphthalene		<0.001	
	Toluene		<0.001	
	Xylene (mixed isomers)		<0.001	
EQT 0003 R4c	1,3-Butadiene		<0.001	
	Acetaldehyde		0.01	
	Acrolein		0.001	
	Benzene		0.001	
	Formaldehyde		0.01	
	Naphthalene		0.001	
	Toluene		0.001	
EQT 0004 R4d	Xylene (mixed isomers)		0.002	
	1,3-Butadiene		<0.001	
	Acetaldehyde		<0.001	
	Acrolein		<0.001	
	Benzene		<0.001	
	Formaldehyde		0.001	
	Naphthalene		<0.001	
EQT 0005 R4e	Toluene		<0.001	
	Xylene (mixed isomers)		<0.001	
	1,3-Butadiene		<0.001	
	Acetaldehyde		0.001	
	Acrolein		<0.01	
	Benzene		0.001	
	Formaldehyde		0.001	
EQT 0006 R4f	Naphthalene		<0.001	
	Toluene		0.001	
	Xylene (mixed isomers)		<0.001	
	1,3-Butadiene		<0.001	
EQT 0006 R4f	Acetaldehyde		<0.001	

EMISSION RATES FOR TAP/HAP & OTHER POLLUTANTS**AI ID: 25491 - Reliable Production Service Inc - Reliable Landfill****Activity Number: PER20080002****Permit Number: 2260-00075-V1****Air - Title V Regular Permit Renewal**

Emission Pt.	Pollutant	Avg lb/hr	Max lb/hr	Tons/Year
EQT 0006 R4f	Acrolein		<0.001	
	Benzene		<0.001	
	Formaldehyde		<0.001	
	Naphthalene		<0.001	
	Toluene		<0.001	
	Xylene (mixed isomers)		<0.001	
EQT 0007 R4a	1,3-Butadiene		<0.001	
	Acetaldehyde		<0.001	
	Acrolein		<0.001	
	Benzene		<0.001	
	Formaldehyde		<0.001	
	Naphthalene		<0.001	
	Toluene		<0.001	
	Xylene (mixed isomers)		<0.001	
EQT 0015 R4o	1,3-Butadiene		<0.001	
	Acetaldehyde		<0.001	
	Acrolein		<0.001	
	Benzene		<0.001	
	Formaldehyde		<0.001	
	Naphthalene		<0.001	
	Toluene		<0.001	
	Xylene (mixed isomers)		<0.001	
EQT 0018 R4o	1,3-Butadiene		<0.001	
	Acetaldehyde		<0.001	
	Acrolein		<0.001	
	Benzene		<0.001	
	Formaldehyde		<0.001	
	Naphthalene		<0.001	
	Toluene		<0.001	
	Xylene (mixed isomers)		<0.001	
EQT 0017 R4a	1,3-Butadiene		<0.001	
	Acetaldehyde		<0.001	
	Acrolein		<0.001	

EMISSION RATES FOR TAP/HAP & OTHER POLLUTANTS

AI ID: 25491 - Reliable Production Service Inc - Reliable Landfill

Activity Number: PER20080002

Permit Number: 2260-00075-V1

Air - Title V Regular Permit Renewal

Emission Pt.	Pollutant	Avg lb/hr	Max lb/hr	Tons/Year
EQT 0017 R4a	Benzene		<0.001	
	Formaldehyde		<0.001	
	Naphthalene		<0.001	
	Toluene		<0.001	
	Xylene (mixed isomers)		<0.001	
EQT 0018 R4r	1,3-Butadiene		<0.001	
	Acetaldehyde		<0.001	
	Acrolein		<0.001	
	Benzene		<0.001	
	Formaldehyde		<0.001	
	Naphthalene		<0.001	
	Toluene		<0.001	
EQT 0019 R4s	1,3-Butadiene		<0.001	
	Acetaldehyde		0.001	
	Acrolein		<0.001	
	Benzene		0.001	
	Formaldehyde		0.001	
	Naphthalene		<0.001	
	Toluene		<0.001	
EQT 0020 R4l	Xylene (mixed isomers)		<0.001	
	1,3-Butadiene		<0.001	
	Acetaldehyde		0.001	
	Acrolein		<0.001	
	Benzene		0.001	
	Formaldehyde		0.001	
	Naphthalene		<0.001	
EQT 0021 R4u	Toluene		<0.001	
	Xylene (mixed isomers)		<0.001	
	1,3-Butadiene		<0.001	
	Acetaldehyde		<0.001	
EQT 0021 R4u	Acrolein		<0.001	
	Benzene		0.001	

EMISSION RATES FOR TAP/HAP & OTHER POLLUTANTS

AI ID: 25491 - Reliable Production Service Inc - Reliable Landfill

Activity Number: PER20080002

Permit Number: 2260-00075-V1

Air - Title V Regular Permit Renewal

Emission Pt.	Pollutant	Avg lb/hr	Max lb/hr	Tons/Year
EQT 0021 R4u	Formaldehyde		0.001	
	Naphthalene		<0.001	
	Toluene		<0.001	
	Xylene (mixed isomers)		<0.001	
EQT 0022 R4v	1,3-Butadiene		<0.001	
	Acetaldehyde		<0.001	
	Acrolein		<0.001	
	Benzene		0.001	
	Formaldehyde		0.001	
	Naphthalene		<0.001	
	Toluene		<0.001	
	Xylene (mixed isomers)		<0.001	
FUG 0002 R2	Methyl ethyl ketone	0.001	0.001	<0.01
	Methyl isobutyl ketone	<0.001	<0.001	<0.01
GRP 0003 R-4 Diesel	1,3-Butadiene	0.004		0.006
	Acetaldehyde	0.01		0.01
	Acrolein	0.001		0.001
	Benzene	0.01		0.01
	Formaldehyde	0.01		0.02
	Naphthalene	0.001		0.10
	Toluene	0.004		0.01
	Xylene (mixed isomers)	0.003		<0.01
UNF 0001 UNF001	1,1,1-Trichloroethane			0.04
	1,1,2,2-Tetrachloroethane			0.11
	1,2-Dichloroethane			0.024
	1,2-Dichloropropane			0.01
	1,3-Butadiene			0.006
	Acetaldehyde			0.01
	Acrolein			0.001
	Acrylonitrile			0.201
	Benzene			0.53
	Carbon disulfide			0.03
	Carbonyl sulfide			0.02

EMISSION RATES FOR TAP/HAP & OTHER POLLUTANTS

AI ID: 25491 - Reliable Production Service Inc - Reliable Landfill

Activity Number: PER20080002

Permit Number: 2260-00075-V1

Air - Title V Regular Permit Renewal

Emission Pt.	Pollutant	Avg lb/hr	Max lb/hr	Tons/Year
UNF 0001 UNF001	Chlorobenzene			0.017
	Chloroethane			0.05
	Chloroform			0.01
	Dichloromethane			0.73
	Ethyl benzene			0.29
	Formaldehyde			0.02
	Hydrogen sulfide			0.72
	Methyl chloride			0.05
	Methyl ethyl ketone			0.32
	Methyl isobutyl ketone			0.11
	Naphthalene			0.10
	Tetrachloroethylene			0.37
	Toluene			9.09
	Trichloroethylene			0.22
	Vinyl chloride			0.27
	Vinyldene chloride			0.01
	Xylene (mixed isomers)			0.78
	n-Hexane			0.34

Note: Emission rates in bold are from alternate scenarios and are not included in permitted totals unless otherwise noted in a footnote. Emission rates attributed to the UNF reflect the sum of the TAP/HAP limits of the individual emission points (or caps) under this permit, but do not constitute an emission cap.

SPECIFIC REQUIREMENTS

AID: 25491 - Reliable Production Service Inc - Reliable Landfill
Activity Number: PER20080002
Permit Number: 2260-00075-V1
Air - Title V Regular Permit Renewal

ARE 0004 R1 - Landfill Gas Emissions

- 1 [40 CFR 60.752(b)(1)(iii)] Recalculate the NMOC emission rate annually or once every five years, as provided for in 40 CFR 60.757(b)(1)(ii), using the procedures specified in 40 CFR 60.754(a)(1) until such time as the calculated NMOC emission rate is $\geq 50 \text{ Mg/yr}$, or the landfill is closed. If the recalculated emission rate is $\geq 50 \text{ Mg/yr}$, install a collection and control system in compliance with 40 CFR 60.752(b)(2) within 30 months after the first annual report in which the emission rate equals or exceeds 50 Mg/yr. Subpart WWW. [40 CFR 60.752(b)(1)(iii)]
- 2 [40 CFR 60.757(b)(1)] Submit NMOC emission rate report: Due initially and annually thereafter, except as provided for in 40 CFR 60.757(b)(1)(ii) or (b)(3). Include an annual or 5-year estimate of the NMOC emission rate calculated using the formula and procedures provided in 40 CFR 60.754(a) or (b), as applicable, and all the data, calculations, sample reports and measurements used to estimate the annual or 5-year emissions. Subpart WWW. [40 CFR 60.757(b)(1)]
- 3 [40 CFR 60.757(d)] Submit closure report: Due within 30 days of waste acceptance cessation. Do not place additional wastes into the landfill after submitting a closure report without filing a notification of modification as described under 40 CFR 60.7(a)(4). Subpart WWW. [40 CFR 60.757(d)]

FUG 0003 R3 - Fugitive Dust Emissions

- 4 [LAC 33:III.1305] Prevent particulate matter from becoming airborne by taking all reasonable precautions. These precautions shall include, but not be limited to, those specified in LAC 33:III.1305.A.1-7.

FUG 0004 R5 - Solidification Basin

- 5 [LAC 33:III.1305] Prevent particulate matter from becoming airborne by taking all reasonable precautions. These precautions shall include, but not be limited to, those specified in LAC 33:III.1305.A.1-7.

GRP 0002 R4 Gas - Internal Combustion Engines-Gasoline

Group Members: EQT 0008EQT 0009EQT 0010EQT 0012EQT 0013EQT 0014

- 6 [LAC 33:III.1101.B] Opacity ≤ 20 percent, except during the cleaning of a fire box or building of a new fire, soot blowing or lancing, charging of an incinerator, equipment changes, ash removal or rapping of precipitators, which may have an opacity in excess of 20 percent for not more than one six-minute period in any 60 consecutive minutes.
 Which Months: All Year Statistical Basis: None specified
 Opacity ≤ 20 percent; except emissions may have an average opacity in excess of 20 percent for not more than one six-minute period in any 60 consecutive minutes.
 Which Months: All Year Statistical Basis: Six-minute average
 Equipment/operational data: $\leq 251,100$ horsepower hours from gasoline-fired, internal combustion engine-driven equipment. Noncompliance with this limitation is a reportable violation of the permit. Notify the Office of Environmental Compliance, Enforcement Division if total horsepower hours exceeds the maximum listed in this specific condition for any twelve consecutive month period. [State Only].
 Equipment/operational data monitored by technically sound method continuously. Monitor all gasoline-fired, internal combustion engine-driven equipment for operating hours and associated engine horsepower rating as necessary. [State Only].
 Which Months: All Year Statistical Basis: None specified
- 7 [LAC 33:III.1311.C]
- 8 [LAC 33:III.501.C.6]
- 9 [LAC 33:III.507.H.1.a]

SPECIFIC REQUIREMENTS

AID: 25491 - Reliable Production Service Inc - Reliable Landfill
Activity Number: PER20080002
Permit Number: 2260-00075-V1
Air - Title V Regular Permit Renewal

GRP 0002 R-4 Gas - Internal Combustion Engines-Gasoline

- 10 [LAC 33:III.507.H.1.a] Submit report: Due annually, by the 31st of March. Report the operating horsepower hours for the preceding calendar year to the Office of Environmental Compliance, Enforcement Division. [State Only].
 Equipment/operational data recordkeeping by electronic or hard copy monthly. Keep records of the total operating horsepower hours each month, as well as the total operating horsepower hours for the last twelve months for all gasoline-fired, internal combustion driven equipment.
 Make records available for inspection by DEQ personnel. [State Only].

GRP 0003 R-4 Diesel - Internal Combustion Engines - Diesel

Group Members: EQT 0001EQT 0002EQT 0003EQT 0004EQT 0005EQT 0006EQT 0007EQT 0008EQT 0009EQT 0010EQT 0011EQT 0012EQT 0013EQT 0014EQT 0015EQT 0016EQT 0017EQT 0018EQT 0019EQT 0020EQT 0021EQT 0022

- 12 [LAC 33:III.1101.B] Opacity <= 20 percent, except during the cleaning of a fire box or building of a new fire, soot blowing or lancing, charging of an incinerator, equipment changes, ash removal or rapping of precipitators, which may have an opacity in excess of 20 percent for not more than one six-minute period in any 60 consecutive minutes.
 Which Months: All Year Statistical Basis: None specified
 Opacity <= 20 percent; except emissions may have an average opacity in excess of 20 percent for not more than one six-minute period in any 60 consecutive minutes.
 Which Months: All Year Statistical Basis: Six-minute average
 Equipment/operational data: <= 2,419,560 horsepower hours from diesel-fired, internal combustion engine-driven equipment. Noncompliance with this limitation is reportable violation of the permit. Notify the Office of Environmental Compliance, Enforcement Division if total horsepower hours exceeds the maximum listed in this specific condition for any twelve consecutive month period. [State Only].
 Submit report: Due annually, by the 31st of March. Report the operating horsepower hours for the preceding calendar year to the Office of Environmental Compliance, Enforcement Division. [State Only].
 Equipment/operational data recordkeeping by electronic or hard copy monthly. Keep records of the total operating horsepower hours each month, as well as the total operating horsepower hours for the last twelve months for all diesel-fired, internal combustion engine-driven equipment. Make records available for inspection by DEQ personnel. [State Only].
 Equipment/operational data monitored by technically sound method continuously. Monitor all diesel-fired, internal combustion engine-driven equipment for operating hours and associated engine horsepower rating as necessary. [State Only].
 Which Months: All Year Statistical Basis: None specified

UNF 0001 UNF001 - Reliable Landfill - Entire Facility

- 18 [40 CFR 60.] All affected facilities shall comply with all applicable provisions in 40 CFR 60 Subpart A.
 Equipment/operational data recordkeeping by electronic or hard copy upon occurrence of event. Maintain, until closure, records of the location, depth and area, and quantity in cubic yards (cubic meters) of asbestos-containing waste material within the disposal site on a map or diagram of the disposal area. Subpart M [LAC 33:III.5151.N.6]. [40 CFR 61.154(f)]
 Submit report: Due to the Office of Environmental Services, DEQ upon closure of the facility. Submit a copy of records of asbestos waste disposal locations and quantities. Subpart M [LAC 33:III.5151.N.8]. [40 CFR 61.154(h)]

TPORD147

Page 2 of 4

SPECIFIC REQUIREMENTS

AI ID: 25491 - Reliable Production Service Inc - Reliable Landfill
Activity Number: PER20080002
Permit Number: 2260-00075-V1
Air - Title V Regular Permit Renewal

UNF 0001 UNF001 - Reliable Landfill - Entire Facility

- 21 [40 CFR 61.154(j)]
 Submit written notification: Due to the Office of Environmental Services, DEQ at least 45 days prior to excavating or otherwise disturbing any asbestos-containing waste material that has been deposited at a waste disposal site and is covered. If the excavation will begin on a date other than one contained in the original notice, provide notice of the new start date to DEQ at least 10 working days before excavation begins and in no event begin excavation earlier than the date specified in the original notification. Include the information specified in 40 CFR 61.154(j)(1) through (j)(4) in the notice. Subpart M [LAC 33:II.51.N.10]. [40 CFR 61.154(j)]
- 22 [40 CFR 61.]
 All affected facilities shall comply with all applicable provisions in 40 CFR 61 Subpart A.
- 23 [40 CFR 82 Subpart F]
 Comply with the standards for recycling and emissions reduction pursuant to 40 CFR Part 82, Subpart F, except as provided for Motor Vehicle Air Conditioners (MVACs) in Subpart B.
- 24 [LAC 33:III.1103]
 Emissions of smoke which pass onto or across a public road and create a traffic hazard by impairment of visibility as defined in LAC 33:III.111
- 25 [LAC 33:III.1303. B]
 Emissions of particulate matter which pass onto or across a public road and create a traffic hazard by impairment of visibility or intensify an existing traffic hazard condition are prohibited.
- 26 [LAC 33:III.2113. A]
 Maintain best practical housekeeping and maintenance practices at the highest possible standards to reduce the quantity of organic compounds emissions. Good housekeeping shall include, but not be limited to, the practices listed in LAC 33:III.2113.A.1-5.
- 27 [LAC 33:III.219]
 Failure to pay the prescribed application fee or annual fee as provided herein, within 90 days after the due date, will constitute a violation of these regulations and shall subject the person to applicable enforcement actions under the Louisiana Environmental Quality Act including, but not limited to, revocation or suspension of the applicable permit, license, registration, or variance.
- 28 [LAC 33:III.5151.N.1]
 Ensure that there are no visible emissions to the outside air when disposing of asbestos-containing waste material.
- 29 [LAC 33:III.5151.N.2]
 Install and maintain warning signs and fencing as specified in LAC 33:III.5151.N.2.a through c.
- 30 [LAC 33:III.5151.N.3.a]
 At the end of each operating day, or at least once every 24 hour period while the site is in continuous operation, cover the asbestos-containing waste material that has been deposited at the site during the operating day or previous 24 hour period with at least 6 inches (15 centimeters) of compacted nonasbestos-containing material.
- 31 [LAC 33:III.5151.N.5.a.iv]
 Submit written report: Due to DEQ by the following working day after the presence of a significant amount of improperly enclosed or uncovered waste is discovered. Submit a copy of the waste shipment record (ADVF) along with the report.
- 32 [LAC 33:III.5151.N.5.a]
 Equipment/operational data recordkeeping by electronic or hard copy before disposal. Maintain waste shipment records, using the ADVF Form and include the information specified in LAC 33:III.5151.N.5.a.i through v.
- 33 [LAC 33:III.5151.N.5.b]
 Send a copy of the signed ADVF to the waste generator and to the Office of Environmental Services, DEQ as soon as possible and no longer than 30 days after the receipt of the waste.
- 34 [LAC 33:III.5151.N.5.c]
 Submit written report: Due to the Office of Environmental Services, DEQ within 15 days after receiving a waste shipment if a discrepancy between the quantity of waste designated on the ADVF and the quantity actually received cannot be reconciled. Describe the discrepancy and attempts to reconcile it, and submit a copy of the ADVF along with the report.
- 35 [LAC 33:III.5151.N.5.c]
 Upon discovering a discrepancy between the quantity of waste designated on the ADVF and the quantity actually received, attempt to reconcile the discrepancy with the waste generator.
- 36 [LAC 33:III.5151.N.5.d]
 Retain a copy of all records and reports required by LAC 33:III.5151.N for at least two years.

SPECIFIC REQUIREMENTS

AI ID: 25491 - Reliable Production Service Inc - Reliable Landfill
 Activity Number: PER2008002
 Permit Number: 2260-00075-V1
 Air - Title V Regular Permit Renewal

UNF 0001 UNF001 - Reliable Landfill - Entire Facility

- 37 [LAC 33:III.5151.N.7] Comply with all the provisions of LAC 33:III.5151.K upon closure.
 Furnish upon request and make available during normal business hours for inspection by DEQ, all records required under LAC 33:III.5151.N.
- 38 [LAC 33:III.5151.N.9] Comply with the Part 70 General Conditions as set forth in LAC 33:III.535 and the Louisiana General Conditions as set forth in LAC 33:III.537. [LAC 33:III.535, LAC 33:III.537]
- 40 [LAC 33:III.5609.A.1.b] Activate the preplanned abatement strategy listed in LAC 33:III.5611.Table 5 when the administrative authority declares an Air Pollution Alert.
- 41 [LAC 33:III.5609.A.2.b] Activate the preplanned strategy listed in LAC 33:III.5611.Table 6 when the administrative authority declares an Air Pollution Warning.
- 42 [LAC 33:III.5609.A.3.b] Activate the preplanned abatement strategy listed in LAC 33:III.5611.Table 7 when the administrative authority declares an Air Pollution Emergency.
- 43 [LAC 33:III.5609.A] Prepare standby plans for the reduction of emissions during periods of Air Pollution Alert, Air Pollution Warning and Air Pollution Emergency.
- 44 [LAC 33:III.919.D] Design standby plans to reduce or eliminate emissions in accordance with the objectives as set forth in LAC 33:III.5611.Tables 5, 6, and 7.
- Submit Emission Inventory (EI)/Annual Emissions Statement: Due annually, by the 31st of March for the period January 1 to December 31 of the previous year unless otherwise directed. Submit emission inventory data in the format specified by the Office of Environmental Assessment. Include all data applicable to the emissions source(s), as specified in LAC 33:III.919.A-D.